

Certified Products

ANSI & NFPA Brochure

FEATURING
TOP BRANDS

ProClimb™
Kong Italy &
Omega Pacific



www.usrigging.com
www.usriggingdepot.com



U.S. RIGGING
S U P P L Y



Welcome

Page Contents

- 03 Carabiners
- 10 Snaphooks
- 11 Swivel Hooks
- 12 Ladder & Scaffold Hooks
- 14 Spreader & Rebar Hooks
- 15 Miscellaneous

U.S. Rigging Supply is proud to offer some of the finest, most reliable fall protection equipment you can own. For more than 40 years, our line of industrial ANSI & NFPA carabiners, hooks and other certified products have been rigorously certified and tested in order to follow all ANSI and/or NFPA guidelines within the appropriate certification standards.

We offer our own ProClimb™ fall protection equipment as well as fall and rescue gear from other great companies like Kong Italy and Omega Pacific.



U.S. Rigging Supply is a certified ISO 9001:2008 standard company.



The *American National Standards Institute* fosters the development of safety technology standards in the US.



NFPA® is a world leading authority in requirements for fire safety equipment.



UL® is the leading independent product safety certification laboratory in the USA.



Manufacturer's declaration that the product meets European applicable certifications for health & safety requirements.



The *International Climbing and Mountaineering Federation* is a major international mountaineering and climbing standards organization.



The *Canadian Standards Association* deals with standards development and their application through product certification, management systems registration, and information products.

Available in Black



With Key Lock

Modified D Steel Carabiner

USR-12-CTLM
USR-12-CTLM-BK

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	20 mm	↔50 kN ↕16 kN ↯12 kN	9 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish

Available in Black



With Key Lock

Equal D Steel Carabiner

USR-12-CTLD
USR-12-CTLD-BK

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	14 mm	↔45 kN ↕16 kN ↯13 kN	7.6 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish



With Key Lock

Klettersteig Steel Carabiner

USR-12-CTL

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	27 mm	↔45 kN ↕16 kN ↯12 kN	9.9 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish



Forged Steel Carabiner

USR-14-C3T

ProClimb™



ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
22 kN	20 mm	↔45 kN	11 oz

Triple Lock Gate • High Tensile Steel • Zinc Plated Finish



XL Steel Carabiner

KNG-411-TZ

KONG Italy



ANSI Z359.12
CSA Z359.12



ANSI Z359.12-2009

Gate Ø	MBS	Wt
25 mm	↔50 kN ♦18 kN	8.5 oz

Twist Lock Gate • Carbon Steel



XL Steel Carabiner

KNG-411-OZ

KONG Italy



ANSI Z359.12
CSA Z359.12



ANSI Z359.12-2009

Gate Ø	MBS	Wt
26 mm	↔50 kN ♦13 kN	8.5 oz

Triple Lock Gate • Carbon Steel



Ovalone Carabiner

KNG-412-OZ

KONG Italy



ANSI Z359.12-2009

Gate Ø	MBS	Wt
19 mm	◀40 kN ▶20 kN	7.8 oz

Triple Lock Gate • Carbon Steel



Ovalone Carabiner

KNG-412-TZ

KONG Italy



ANSI Z359.12-2009

Gate Ø	MBS	Wt
21 mm	◀40 kN ▶15 kN	7.8 oz

Twist Lock Gate • Carbon Steel



Forged Aluminum Carabiner

USR-14-ATL9

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	19 mm	◀25 kN	5.6 oz

Twist Lock Gate • Aluminum Alloy • Anodized Finish



HMS Aluminum Carabiner

USR-12-ATL

ProClimb™



ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	19 mm	↔23 kN	4.6 oz

Twist Lock Gate • Aluminum Alloy • Anodized Finish



Large D Steel Carabiner

USR-98-C09T

USR-98-C09TB

ProClimb™




ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009 | NFPA 1983-G

Gate Ø	MBS	Wt
31 mm	↔60 kN ♦16 kN ↻16 kN	11.3 oz

Triple Lock Gate • High Tensile Steel • Zinc Plated Finish



Large D Steel Carabiner

USR-98-C09A

USR-98-C09AB

ProClimb™



ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009 | NFPA 1983-G

Gate Ø	MBS	Wt
31 mm	↔60 kN ♦16 kN ↻16 kN	11.3 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish

Available in Black



With Key Lock

Large D Steel Carabiner

USR-98-C09S
USR-98-C09SB

ProClimb™



NFPA 1983-G

Gate Ø	MBS	Wt
31 mm	◀60 kN ▶16 kN ↻16 kN	9.7 oz

Screw Lock Gate • High Tensile Steel • Zinc Plated Finish

Available in Black



Standard D 1/2" Steel Carabiner

OP12S58LNFP
OP12S55LNFP

Omega Pacific



NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
22 kN	27 mm	◀72 kN ▶12 kN	10 oz

Screw Lock Gate • Steel

124.5 mm



70.6 mm

Standard D 1/2" Steel Carabiner

OP12S58Q3NFP

Omega Pacific



NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
22 kN	27 mm	◀72 kN ▶12 kN	10.9 oz

Quick-Lok Gate • Steel



Standard D Side Swing Carabiner

OP12S58SLNFPA

Omega Pacific



NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
22 kN	36 mm	↔72 kN ↕12 kN	10.2 oz
Screw Lock Gate • Steel			



X-Large Modified D 1/2" Carabiner

OP12S78LNFPFA

Omega Pacific



NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
21 kN	38 mm	↔56 kN ↕11 kN	12.8 oz
Screw Lock Gate • Steel			



Modified D Aluminum Carabiner

USR-117-ATL

ProClimb™



NFPA 1983-T

Gate Ø	MBS	Wt
22 mm	↔28 kN ↕8 kN	3 oz
Twist Lock Gate • Aluminum Alloy • Anodized Finish		

Available in Black & Bright



G-First Carabiner

OPGF36QNFFPA
OPGF55QNFFPA
OPGF6QNFFPA

Omega Pacific



NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
11 kN	28 mm	◀40 kN ▶11 kN	4.8 oz
Quik-Lok Gate • Aluminum Alloy			



G-First Carabiner

OPGF55LNFFPA

Omega Pacific



NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
11 kN	28 mm	◀40 kN ▶11 kN	4.6 oz
Screw Lock Gate • Aluminum Alloy			



1/2" Modified D Carabiner

OP12A36QNFFPA

Omega Pacific



NFPA 1983-T

Gate Strength	Gate Ø	MBS	Wt
9 kN	20 mm	◀30 kN ▶9 kN	3.9 oz
Quik-Lok Gate • Aluminum Alloy			



Steel Saphook

USR-01-CF07

ProClimb™



ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	22 mm	↔45 kN	12.2 oz
Double Action Gate • High Tensile Steel • Zinc Plated Finish			



Steel Saphook

USR-01-CF09B

ProClimb™



ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	20 mm	↔23 kN	10.3 oz
Double Action Gate • High Tensile Steel • Zinc Plated Finish			



Forged Steel Saphook

USR-01-CF09

ProClimb™



ANSI Z359.12
CSA Z359.12

ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	22 mm	↔23 kN	12.6 oz
Double Action Gate • High Tensile Steel • Zinc Plated Finish			



Forged Steel Swivel Snaphook

USR-02-CS07

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Weight
16 kN	22 mm	↔50 kN	17.8 oz
Double Action Gate • High Tensile Steel • Zinc Plated Finish			



Steel Swivel Ladder Hook

USR-BRH-SC09

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Weight
16 kN	60 mm	↔45 kN	31 oz
Double Action Gate • High Tensile Steel • Zinc Plated Finish			



Forged Steel Swivel Snaphook


USR-02-CS09B

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Weight
16 kN	21 mm	↔23 kN	16.9 oz
Double Action Gate • High Tensile Steel • Zinc Plated Finish			



Steel Ladder Hook w/ Captive Pin

USR-71-C09A

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	48 mm	◀40 kN	15.7 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish



Steel Ladder Hook

USR-71N-C09A / USR-71N-C09AB


ProClimb™



ANSI Z359.1-2007 / Z359.12-2009 | NFPA 1983-G

Gate Strength	Gate Ø	MBS	Wt
16 kN	48 mm	◀40 kN	15.7 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish



Steel Ladder Hook w/ Captive Pin

USR-71-C09B

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	48 mm	◀40 kN	15.8 oz

Triple Lock Gate • High Tensile Steel • Zinc Plated Finish



Steel Ladder Hook

USR-71-CTS / USR-71-CTSB

ProClimb™



NFPA 1983-G

Gate Ø	MBS	Wt
48 mm	◀40 kN	13.7 oz

Screw Lock Gate • High Tensile Steel • Zinc Plated Finish



1/2" Steel Mid-Size Ladder Hook

OP12S98Q3NFPA


Omega Pacific



NFPA 1983-G

Gate Ø	MBS	Weight
46 mm	◀45 kN	14.4 oz

Quik-Lok Gate • Steel



Forged Steel Scaffold Ladder Hook

USR-04-C09B

USR-04-C09B-BK

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Weight
16 kN	54 mm	◀50 kN	27.8 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish



Steel Scaffold Hook

USR-04-C09A

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Weight
16 kN	52 mm	◀35 kN	28.6 oz

Twist Lock Gate • High Tensile Steel • Zinc Plated Finish



Forged Steel Spreader Snaphook

USR-16-CDL

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	21 mm	↔23 kN	25.6 oz

Double Action Gate • High Tensile Steel • Zinc Plated Finish



Forged Steel Rebar Hook

USR-BRH-C09

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	60 mm	↔50 kN	27.3 oz

Double Action Gate • High Tensile Steel • Zinc Plated Finish



Steel Spreader Snaphook

USR-16S-CDL

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	22 mm	↔23 kN	23.6 oz

Double Action Gate • High Tensile Steel • Zinc Plated Finish



Forged Steel Rebar Hook

USR-BRH-C09B

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

Gate Strength	Gate Ø	MBS	Wt
16 kN	58 mm	↔40 kN	21 oz

Double Action Gate • High Tensile Steel • Zinc Plated Finish



Aluminum Termination Plate

USR-TP

ProClimb™



ANSI Z359.1-2007 / Z359.12-2009

MBS

Wt

◆ 22 kN

9.1 oz

Aluminum Alloy • Anodized Finish



Rescue Swivel

USR-DSL-AN

ProClimb™



EN354



NFPA 1983-G

MBS

Wt

◆ 40 kN

5.6 oz

Ball Bearing • Aluminum Alloy • Anodized Finish



CONTACT INFO

**1600 E. McFadden Ave.
Santa Ana, CA 92705**

**888-260-7444
714-545-7444**

Version 2016-12-15A

www.usrigging.com
www.usriggingdepot.com



U.S. RIGGING
S U P P L Y